

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Acidifying PT**

· **Catalog number:** 00513019, 513010, 513011

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Repr. 1B H360FD May damage fertility. May damage the unborn child.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05

GHS08

· **Signal word** Danger

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 1)

Hazard-determining components of labelling:

 boric acid
 sodium bisulfate

Hazard statements

 H318 Causes serious eye damage.
 H360FD May damage fertility. May damage the unborn child.

Precautionary statements

 P280 Wear protective gloves/protective clothing/eye protection.
 P201 Obtain special instructions before use.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P405 Store locked up.

Additional information:

Restricted to professional users.

2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of inorganic compounds.

Dangerous components:

CAS: 10043-35-3 EINECS: 233-139-2 Index No: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid	☠ Repr. 1B, H360FD	70–80%
CAS: 7681-38-1 EINECS: 231-665-7 Index No: 016-046-00-X Reg.nr.: 01-2119552465-36-XXXX	sodium bisulfate	☠ Eye Dam. 1, H318	20–30%

SVHC

CAS: 10043-35-3 | boric acid

SVHC (UK)

CAS: 10043-35-3 | boric acid

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information Instantly remove any clothing soiled by the product.

After inhalation

 Supply fresh air.
 Seek medical treatment.

After skin contact

 Instantly wash with water and soap and rinse thoroughly.
 Seek medical treatment.

After eye contact

 Rinse opened eye for several minutes (at least 15 min) under running water.
 Call a doctor immediately.

After swallowing

 Rinse out mouth and then drink 1-2 glasses of water.
 Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed:

 Irritation and corrosion
 absorption

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 2)

after inhalation:
mucosal irritations, cough, shortness of breath

after swallowing:

sickness

vomiting

diarrhoea

after absorption of large amounts:

cardiovascular disorders

cramps

fatigue

CNS disorders

ataxia (impaired locomotor coordination)

drop in temperature

unconsciousness

· **Danger** Risk of serious damage to eyes.

· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SO_x)

Sodium oxide

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

· **Advice on safe handling:** Provide suction extractors if dust is formed.

· **Hygiene measures:**

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Store protective clothing separately.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 3)

Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Protect from heat and direct sunlight.
Store in cool, dry conditions in well sealed containers.
Protect from the effects of light.
Protect from humidity and keep away from water.
This product is hygroscopic.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **DNELs**
Derived No Effect Level (DNEL)

CAS: 10043-35-3 boric acid

Oral	DNEL	0.98 mg/kg (Consumer / acute / systemic effects)
		0.98 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	392 mg/kg (Worker / long-term /systemic effects)
		196 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	8.3 mg/m ³ (Worker / long-term /systemic effects)
		4.15 mg/m ³ (Consumer / long-term / systemic effects)

- **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.
- **PNECs**
Predicted No Effect Concentration (PNEC)

CAS: 10043-35-3 boric acid

PNEC	10 mg/l (Sewage treatment plant)
	2.02 mg/l (Marine water)
	13.7 mg/l (Aquatic intermittent release)
	2.02 mg/l (Fresh water)
PNEC	5.4 mg/kg (Soil)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.
- **Individual protection measures, such as personal protective equipment**
- **Eye/face protection**
Tightly sealed safety glasses.
Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.
- **Hand protection**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 4)

- **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Other skin protection (body protection):** Protective work clothing.
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P3
- **Environmental exposure controls** Avoid release to the environment.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **Physical state** Solid.
- **Form:** Tablets
- **Colour:** White
- **Odour:** Odourless
- **Odour threshold:** Not applicable.
- **Melting point/Freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** The product is not combustible.
- **Explosive properties:** Product is not explosive.
- **Lower and upper explosion limit**
- **Lower:** Not applicable.
- **Upper:** Not applicable.
- **Flash point:** Not applicable.
- **Auto-ignition temperature:** Not applicable (solid).
- **Decomposition temperature:** Not determined.
- **pH (10.3 g/l) at 20°C** 1.9
- **Kinematic viscosity** Not applicable (solid).
- **Solubility**
- **Water:** Soluble
- **Partition coefficient n-octanol/water (log value)** Not applicable.
- **Vapour pressure:** Not applicable.
- **Density and/or relative density**
- **Density at 20°C:** 1.586 g/cm³
- **Relative density:** Not determined.
- **Relative gas density** Not applicable (solid).
- **Particle characteristics** Not determined.

· 9.2 Other information

- **Information with regard to physical hazard classes**
- **Corrosive to metals** Void
- **Other safety characteristics**
- **Oxidising properties:** none
- **Additional information**
- **Solids content:** 100 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
Forms hydrogen in aqueous solution with metals
Liberates acid in contact with water or alcohol.
Reacts with strong alkalis and oxidizing agents.
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:** metals
- **10.6 Hazardous decomposition products:** see section 5

GB
(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: **Acidifying PT**

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 10043-35-3 boric acid		
Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)
Dermal	LD50.	>2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)
	LD ₀	1500 mg/kg (child) (MERCK)
	NOAEL	9.6 mg/kg (rat) (NTP)
CAS: 7681-38-1 sodium bisulfate		
Oral	LD50	2490 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rabbit)

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation**

Causes serious eye damage.

Risk of corneal clouding.

· Information on components:

CAS: 10043-35-3 boric acid		
Irritation of skin	OECD 404	(rabbit: no irritation) (Registrant, ECHA)
Irritation of eyes	OECD 405	(rabbit: slight irritation)
CAS: 7681-38-1 sodium bisulfate		
Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· Information on components:

CAS: 10043-35-3 boric acid		
Sensitisation	OECD 406	(guinea pig: negative)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** May damage fertility. May damage the unborn child.

· Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 10043-35-3 boric acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)	
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (mouse lymphoma test)	
OECD 414	(negative) (oral, rat) (ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)	
OECD 474	(negative) (in vivo, mice)	

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· Information on likely routes of exposure

"Under occupational conditions, the main intake pathway for boric acid (CAS 10043-35-3) proceeds via the respiratory tract.

Furthermore, the uptake of the solid or its concentrated solutions should be expected following contact with damaged or inflamed skin." (GESTIS)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 6)

Additional toxicological information:

CAS 10043-35-3: Absorption through gastro-intestinal tract, mucous membranes

CAS: 10043-35-3 boric acid

(source: GESTIS)

Main toxic effects:

Acute: Slightly irritating to the eyes and skin; gastrointestinal disturbances, CNS-effects and (later) skin damage after massive poisoning

Chronic: Irritation to the mucous membranes following inhalative exposure, effects to the gastrointestinal tract and CNS

Further Information (Merck):

"Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, and erythematous lesions on the skin and mucous membranes.

Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma.

Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams."

"Liver - Irregularities - Based on Human Evidence"

11.2 Information on other hazards**Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**Other information**

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****CAS: 10043-35-3 boric acid**EC50 133 mg/l/48h (Daphnia magna)
(ECOTOX)LC50 50–100 mg/l/96h (rainbow trout)
(ECOTOX)**CAS: 7681-38-1 sodium bisulfate**EC50 190 mg/l/48h (Daphnia magna)
(IUCLID)**Bacterial toxicity:**

sulphates toxic > 2.5 g/l

CAS: 7681-38-1 sodium bisulfate

EC10 >1000 mg/l (Pseudomonas putida) (16 h)

Other information:

Toxic for fish:

Sulphates > 7 g/l

12.2 Persistence and degradability**Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 10043-35-3 boric acidlog Pow -1.09 (.) (OECD 107, 22°C)
(Merck)**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects** Avoid transfer into the environment.**Water hazard:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 7)

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA Void

14.2 UN proper shipping name
ADR, IMDG, IATA Void

14.3 Transport hazard class(es)
ADR, IMDG, IATA
Class Void

14.4 Packing group
ADR, IMDG, IATA Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act UK
Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated

Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 50 (replaces version 49)

Revision: 10.11.2023

Product name: Acidifying PT

(Contd. of page 8)

· Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:
None of the ingredients is listed.
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)
None of the ingredients is listed.
· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
None of the ingredients is listed.
· Substances of very high concern (SVHC) according to REACH, Article 57 see item 3 SVHC
· Substances of very high concern (SVHC) according to UK REACH see item 3 SVHC
· Directive 2012/18/EU (SEVESO III):
· Named dangerous substances - ANNEX I None of the ingredients is listed.
· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30
· Information about limitation of use:
Employment restrictions concerning young persons must be observed (94/33/EC).
Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**

H318 Causes serious eye damage.

H360FD May damage fertility. May damage the unborn child.

· **Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

· **Sources**

Data arise from safety data sheets, reference works and literature.

GESTIS- Stoffdatenbank (Substance Database, Germany)

IUCLID (International Uniform Chemical Information Database)

ECOTOX Database

· * **Data compared to the previous version altered.**