Tintometer[®] Group Water Testing



phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Product name: Tannin No.2
- · Catalog number: 00515301, 515300BT, 515301BT, 4515301BT, 4515300BT, 503511, 00515309BT, 00503511
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

· Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS07

GHS09

· Signal word Warning

(Contd. on page 2)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

(Contd. of page 1)

1-<2.5%

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3 2 Mixtures
- · Description: Mixture of organic and inorganic compounds
- Dangerous components:

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

after swallowing of large amounts:

sickness

vomiting

cardiovascular disorders

- · Danger Danger of disturbed cardiac rhythm.
- 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Hydrogen chloride (HCI)

Dipotassium oxide

(Contd. on page 3)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

· 5.3 Advice for firefighters

(Contd. of page 2)

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components v	with	limit v	عمينادي	that	raquira	monito	rina at	the w	orkal	aco.

CAS: 9004-34-6 cellulose

WEL (Great Britain) Short-term value: 20* mg/m³

Long-term value: 10* 4** mg/m3 *inhalable dust **respirable

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

WEL (Great Britain)

CAS: 7722-64-7 potassium permanganate

Long-term value: 0.2* 0.05** mg/m³

as Mn *inhalable fraction **respirable fraction

IOELV (European Union) Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction

Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831 • Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection Safety glasses

Hand protection

Protective aloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Filter P1.
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties
• Physical state Solid.

Form: Tablets
Colour: Violet
Odourless
Odour threshold: Not applicable.
Melting point/Freezing point: Not determined.

Boiling point or initial boiling point and boiling range Not determined.

• Flammability The product is not combustible. • Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower:
Upper:
Not applicable.
Not applicable.

Flash point:
Not applicable.

Not determined.

· pH (11.3 g/l) at 20°C

· Kinematic viscosity Not applicable (solid).

Solubility
Water: Partially insoluble.
Partition coefficient n-octanol/water (log value)
Not applicable (mixture).

· Vapour pressure: Not applicable.

(Contd. on page 5)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

(Contd. of page 4)

Density and/or relative density
Density:

Relative density:
Relative gas density

Not determined.
Not determined.
Not applicable (solid).

Particle characteristics Not determined.

9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

· Additional information · Solids content:

100.0 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with oxidizing agents

--> forms heat

Reacts with ammonia (NH₃).

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

The following statements refer to the individual components.

CAS: 7722-64-7 potassium permanganate						
Oral	1	750 mg/kg (rat) (RTECS)				
	1	100 mg/kg (human) (IUCLID)				
Dermal		>2000 mg/kg (rat) (OECD 402) (ECHA; no death of animals at this concentration, limit test)				

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation

Causes serious eye irritation.

Risk of corneal clouding.

· Information on	component	ts:			
CAS: 7722-64-7 potassium permanganate					
Irritation of skin		(rabbit: burns) Merck: Burns after prolonged exposure.			

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 7722-64-7 potassium permanganate

Sensitisation OECD 406 (guinea pig: negative)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

(Contd. of page 5)

Information on components:

CAS: 7722-64-7 potassium permanganate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

(Escherichia col i/ Salmonella typhimurium)

OECD 476 (negative) (In Vitro Mammalian Cell Gene Mutation Test)

OECD 474 (negative) (Mammalian Erythrocyte Micronucleus Test)

(Merck: rat, male and female, oral, bone marrow)

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Information on likely routes of exposure

In occupational settings, potassium permanganate is mostly absorbed by inhalation of dusts or aerosols of the solution. Water-soluble manganese compounds are well absorbed in the lungs if alveolar particles are inhaled. In addition, manganese ions absorbed in the nose can directly reach the brain via the olfactory nerve. Substance-specific quantitative data on are not available. [GESTIS]

· Additional toxicological information:

CAS: 7722-64-7 potassium permanganate

. (source: GESTIS)

Main toxic effects:

Acute: caustic effect on skin and mucous membranes, risk of serious damage to eyes

chronic: in animal experiments, changes in clinical-chemical and blood counts (as a result of liver and kidney damage), indications of neurotoxic effects

general systemic effects of manganese ions: damage to the central nervous system

Further information:

In the event of contact with the crystalline substance or concentrated solution, there is a risk of severe chemical burns and possibly irreversible eye damage. Even very diluted solutions of K. can cause violet to black discoloration of the eyes, which is reversible after a few days.

Areas of skin that have come into contact with K. are discolored brown due to the formation of poorly soluble manganese(IV) oxide.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 7722-64-7 potassium permanganate

EC50 0.056 mg/l/48h (Daphnia magna)

(ECOTOX)

EC50 0.41 mg/l/72h (Algeal toxicity)

(ECOTOX)

LC50 0.1 mg/l/96h (fish)

(Ictalurus catus / ECOTOX)

Other information:

The following applies to manganese ions: toxic to water organisms.

In flowing waters, depending on the mixture, moderate to high toxic effect.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7722-64-7 potassium permanganate

log Pow -1.73 (.) (calculated)

(Merck)

(Contd. on page 7)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

(Contd. of page 6)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

77
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ASSIUM PERMANGANATE)
RONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ASSIUM PERMANGANATE)

- · 14.3 Transport hazard class(es)
- · ADR



• Class 9 (M7) Miscellaneous dangerous substances and articles. • Label 9

· IMDG



· Class 9 Miscellaneous dangerous substances and articles. • Label 9

·IATA



• Class 9 Miscellaneous dangerous substances and articles. • Label 9

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

· 14.4 Packing group
· ADR, IMDG, IATA
III
· 14.5 Environmental hazards:

Product contains environmentally hazardous substances: potassium

Special marking (ADR):
 Special marking (IATA):
 Special marking (IATA):

• 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Kemler Number: EMS Number: F-A,S-F

Segregation groups (SGG14) Permanganates

Stowage Category A

Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· Transport category 3

· IMDG

Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 7722-64-7 potassium permanganate

2B

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7722-64-7 potassium permanganate

2

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

(Contd. of page 8)

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Data arise from safety data sheets, reference works and literature.

ECOTOX Database

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023 Version number 30 (replaces version 29) Revision: 10.11.2023

Product name: Tannin No.2

IUCLID (International Uniform Chemical Information Database) RTECS (Registry of Toxic Effects of Chemical Substances) GESTIS- Stoffdatenbank (Substance Database, Germany)

* Data compared to the previous version altered.

(Contd. of page 9)

GB -