

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** Vario Sulfa 4 F10, F25 ml

· **Catalog number:** 00532159, 00532169, 532150, 532153, 532160, 532162, 4532150, 4532160

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS06

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 1)

- **Signal word** Danger
- **Hazard-determining components of labelling:**
barium chloride dihydrate
citric acid
- **Hazard statements**
H301 Toxic if swallowed.
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
- **Precautionary statements**
P261 Avoid breathing dust.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
- **2.3 Other hazards** No further relevant information available.
- **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of organic and inorganic compounds

- **Dangerous components:**

CAS: 77-92-9 EINECS: 201-069-1 Index No: 607-750-00-3 Reg.nr.: 01-2119457026-42-XXXX	citric acid ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	50–60%
CAS: 10326-27-9 EINECS: 233-788-1 Index No: 056-004-00-8	barium chloride dihydrate ⚠ Acute Tox. 3, H301; ⚠ Acute Tox. 4, H332 ATE: LD50 oral: 100 mg/kg	40–50%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact** Instantly rinse with water.
- **After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed:**
irritations
absorption
after inhalation:
mucosal irritations, cough, shortness of breath
after swallowing:
sickness
vomiting
diarrhoea
pain
dizziness
CNS disorders
after absorption:

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 2)

respiratory paralysis

Danger

Danger of system failure.

Danger of disturbed cardiac rhythm.

4.3 Indication of any immediate medical attention and special treatment needed:

1-5% sodium sulfate solution in acute poisoning

SECTION 5: Firefighting measures

5.1 Extinguishing media

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Substance/product is auto-extinguishing, but can burn when combined with flammable material.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Hydrogen chloride (HCl)

Carbon monoxide (CO) and carbon dioxide (CO₂)**5.3 Advice for firefighters****Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures**Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling**Advice on safe handling:**

Open and handle container with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Hygiene measures:

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

- **Requirements to be met by storerooms and containers:** Store in cool location.

- **Information about storage in one common storage facility:** Not required.

Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 3)

- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Store under dry conditions.
- Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 10326-27-9 barium chloride dihydrate

WEL (Great Britain)	Long-term value: 0.5 mg/m ³ as Ba
IOELV (European Union)	Long-term value: 0.5 mg/m ³ as Ba

· Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

· Additional information: IOELV = Indicative Occupational Exposure Limit

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Other skin protection (body protection): Protective work clothing.

· Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

· Recommended filter device for short term use: Filter P2

· Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- **Physical state** Solid.
- **Form:** Powder
- **Colour:** White
- **Odour:** Odourless
- **Odour threshold:** Not applicable.
- **Melting point/Freezing point:** Not determined.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 4)

· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	The product is not combustible.
· Explosive properties:	Product is not explosive.
· Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable (solid).
· Decomposition temperature:	> 100°C (CAS 20326-27-9)
· pH (12 g/l) at 20°C	2.3
· Kinematic viscosity	Not applicable (solid).
· Solubility	
· Water:	Soluble
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20°C:	2.65 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not applicable (solid).
· Particle characteristics	Not determined.
· 9.2 Other information	
· Information with regard to physical hazard classes	
· Corrosive to metals	Void
· Other safety characteristics	
· Oxidising properties:	none
· Additional information	
· Solids content:	100 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 - Aqueous solution reacts acidic.
 - Aqueous solution reacts with metals.
 - Reacts with acids
 - Reacts with reducing agents
 - Reacts with various metals
 - Reacts with strong oxidizing agents
 - Citric acid: Incompatible with bases, strong oxidising agents, amines. Contact with metal nitrates causes explosion hazard.
 - Attacks aluminium, copper, zinc and their alloys - in case of moisture.
 - furan-2-percarbonic acid
 - > Explosive
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:**
 - metals
 - aluminium, copper, zinc, metal ions
 - combustible substances
- **10.6 Hazardous decomposition products:**
 - Chlorine compounds
 - In case of fire: see section 5.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
 - Classification according to calculation procedure:
 - Toxic if swallowed.
 - Harmful if inhaled.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 5)

· Acute toxicity estimate (ATE_(MIX)) - Calculation method:		
Oral	CLP ATE _(MIX)	222 mg/kg (.)
Inhalative	CLP ATE _(MIX)	3.3 mg/l/4h (dust)
· LD/LC50 values that are relevant for classification:		
CAS: 77-92-9 citric acid		
Oral	LD50	3000 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rat) (limit test: there were no deaths)
CAS: 10326-27-9 barium chloride dihydrate		
Oral	LD50	100 mg/kg (ATE) (for calculation) 118 mg/kg (rat) (anhydrous - IUCLID)
Inhalative	LC50/4h	1.5 mg/l (ATE)

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Information on components:**

CAS 10326-27-9: chronic: dermatitis

Citric acid: A single drop of a 2% or 5% solution in water causes little or no irritation.

A 0.5% solution held in contact with the eye causes irreversible tissue damage to the cornea.

Citric Acid caused mild irritation when 500 mg was tested on rabbit skin in a 24-hour test.

(CHEMINFO, Canadian Centre for Occupational Health and Safety)

CAS: 77-92-9 citric acid		
Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Information on components:**

CAS: 77-92-9 citric acid

Sensitisation | OECD 406 | (guinea pig: negative) (EPA OPP 81-6: Guinea pig maximisation test)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Information on components:**

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 77-92-9 citric acid	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)

· **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.

· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on likely routes of exposure**

Under workplace conditions, inhalative exposure is the main route of exposure of citric acid. Inhalative exposure is possible in the form of dust or aerosols of aqueous solutions, although the warning irritant effect means that inhalation of very high concentrations is only to be expected accidentally.

Irrespective of this, citric acid is mainly ingested orally with food. [GESTIS]

· **Additional toxicological information:**

CAS 10326-27-9: Absorption through gastro-intestinal tract, mucous membranes

(Contd. on page 7)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 6)

CAS: 77-92-9 citric acid

(source: GESTIS)

Main toxic effects:

Acute: Irritant effect on the eyes and upper respiratory tract; no evidence of systemic toxic effects under occupationally relevant exposure conditions

chronic: irritative effects on mucous membranes and skin.

Enamel damage, dermatitis (Merck)

Further information:

Depending on the pH value, dust or concentrated aqueous solutions are highly irritating to corrosive to the eye.

· **11.2 Information on other hazards**· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.· **Other information**

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:****CAS: 77-92-9 citric acid**EC50 ~120 mg/l (Daphnia magna) (72 h)
(IUCLID)EC5 485 mg/l (Entosiphon sulcatum) (72h)
(MERCK)LC50 440–760 mg/l/96h (gold orfe)
(IUCLID)**CAS: 10326-27-9 barium chloride dihydrate**LC50 870 mg/l/48h (gold orfe)
IUCLIDEC50 21.9 mg/l/48h (Daphnia magna)
(IUCLID)· **Bacterial toxicity:****CAS: 77-92-9 citric acid**

EC5 >10000 mg/l (Pseudomonas putida) (16h (Lit.))

· **Other information:**

Toxic for fish:

Ba > 158 mg/l

· **12.2 Persistence and degradability**

The organic portion of the product is biodegradable.

CAS: 77-92-9 citric acidOECD 301 B 97 % / 28 d (readily biodegradable) (CO₂ Evolution Test)

OECD 302 B 98 % / 2 d (readily eliminated from water) (Zahn-Wellens / EMPA Test)

· **12.3 Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 77-92-9 citric acid

log Pow -1.72 (.) (OECD 117, 20°C)

CAS: 10326-27-9 barium chloride dihydrate

log Pow 0.85 (.)

· **12.4 Mobility in soil** No further relevant information available.· **12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.· **12.7 Other adverse effects**

Harmful effect due to pH shift.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 7)

Reacts with water to harmful mixtures.
Avoid transfer into the environment.

Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

European waste catalogue

16 05 06* | laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA

UN1564

14.2 UN proper shipping name
ADR

1564 BARIUM COMPOUND, N.O.S. (barium chloride dihydrate)

IMDG, IATA

BARIUM COMPOUND, N.O.S. (barium chloride dihydrate)

14.3 Transport hazard class(es)
ADR

Class

6.1 (T5) Toxic substances.

Label

6.1

IMDG, IATA

Class

6.1 Toxic substances.

Label

6.1

14.4 Packing group
ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Toxic substances.

Kemler Number:

60

EMS Number:

F-A,S-A

Stowage Category

A

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:
ADR
Limited quantities (LQ)

5 kg

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 8)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

* SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

CAS: 10326-27-9 | barium chloride dihydrate

Listed

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

· **Substances of very high concern (SVHC) according to UK REACH**

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

· **Directive 2012/18/EU (SEVESO III):**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Information about limitation of use:** Employment restrictions concerning young persons must be observed (94/33/EC).

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 36 (replaces version 35)

Revision: 27.10.2023

Product name: Vario Sulfa 4 F10, F25 ml

(Contd. of page 9)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Training hints** Provide adequate information, instruction and training for operators.

· **Relevant phrases**

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Data arise from safety data sheets, reference works and literature.

IUCLID (International Uniform Chemical Information Database)

ECHA: European CHemicals Agency <http://echa.europa.eu>

GESTIS- Stoffdatenbank (Substance Database, Germany)

· *** Data compared to the previous version altered.**