

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** Vario Molybdenum 2 Reagent LR

· **Catalog number:** 530820, 4530820, 424486, 424486-5, 530820-0, 530821, 530822

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH  
Schleefstraße 8-12  
44287 Dortmund  
Made in Germany  
www.lovibond.com

phone: +49 (0)231 94510-0  
e-mail: sales@lovibond.com

The Tintometer Limited  
Lovibond® House  
Sun Rise Way  
Amesbury  
Wiltshire SP4 7GR  
United Kingdom

phone : +44 1980 664800  
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com  
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670  
Languages: English

#### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07



GHS09

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 1)

- **Signal word** Warning

- **Hazard statements**

H319 Causes serious eye irritation.  
 H400 Very toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P280 Wear protective gloves / eye protection.  
 P273 Avoid release to the environment.  
 P264 Wash thoroughly after handling.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** No further relevant information available.

- **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- **Determination of endocrine-disrupting properties**

CAS: 9036-19-5	Octylphenol polyethoxyethanol	List I	1-<2.5%
----------------	-------------------------------	--------	---------

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** aqueous solution

- **Dangerous components:**

CAS: 9036-19-5 EINECS: 264-520-1	Octylphenol polyethoxyethanol <span style="color: red;">⚠</span> Eye Dam. 1, H318; <span style="color: red;">⚠</span> Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); <span style="color: red;">⚠</span> Acute Tox. 4, H302; Skin Irrit. 2, H315	1-<2.5%
CAS: 57-09-0 EINECS: 200-311-3	Cetrimonium bromide <span style="color: red;">⚠</span> Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=1); <span style="color: red;">⚠</span> Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limit: Skin Irrit. 2; H315: C ≥ 2.5 %	0.1-<0.25%

- **SVHC**

CAS 9036-19-5: Polymer of ethylene glycol and (1,1,3,3-tetramethylbutyl)phenol

CAS: 9036-19-5	Octylphenol polyethoxyethanol
----------------	-------------------------------

- **SVHC (UK)**

CAS: 9036-19-5	Octylphenol polyethoxyethanol
----------------	-------------------------------

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information** Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- **After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

- **After swallowing**

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed:**

irritations

after swallowing of large amounts:

sickness

diarrhoea

vomiting

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

---

**Product name: Vario Molybdenum 2 Reagent LR**


---

(Contd. of page 2)

---

 · **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.
 

---

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
  - **5.2 Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.
  - **5.3 Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained breathing apparatus.  
Wear full protective suit.
  - **Additional information**  
Collect contaminated fire fighting water separately. It must not enter drains.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Ambient fire may liberate hazardous vapours.
- 

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
  - **Advice for non-emergency personnel:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
  - **Advice for emergency responders:** Protective equipment: see section 8
  - **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
  - **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Dispose of contaminated material as waste according to item 13.
  - **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.
- 

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
  - **Advice on safe handling:** No special precautions necessary if used correctly.
  - **Hygiene measures:**  
Avoid contact with the eyes.  
Take off immediately all contaminated clothing.  
Wash hands during breaks and at the end of the work.  
Do not eat, drink or smoke when using this product.
  - **7.2 Conditions for safe storage, including any incompatibilities**
  - **Requirements to be met by storerooms and containers:** Store in cool location.
  - **Information about storage in one common storage facility:** Not required.
  - **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Protect from the effects of light.  
Protect from humidity and keep away from water.
  - **Recommended storage temperature:** 20°C +/- 5°C
  - **7.3 Specific end use(s)** No further relevant information available.
- 

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 3)

**· DNELs**

Derived No Effect Level (DNEL)

CAS: 57-09-0 Cetrimonium bromide		
Dermal	DNEL	0.4 mg/kg (Worker / long-term /systemic effects)
	DNEL	0.25 mg/cm <sup>2</sup> (Worker / acute / local effects)
		0.05 mg/cm <sup>2</sup> (Worker / long-term / local effects)
Inhalative	DNEL	0.05 mg/m <sup>3</sup> (Worker / acute / local effects)

**· Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

**· PNECs**

Predicted No Effect Concentration (PNEC)

CAS: 57-09-0 Cetrimonium bromide	
PNEC	0.19 mg/l (Sewage treatment plant)
	0.000022 mg/l (Marine water)
	0.0004 mg/l (Aquatic intermittent release)
	0.000022 mg/l (Fresh water)

· **Additional information:** The lists that were valid during the compilation were used as basis.

**· 8.2 Exposure controls**
**· Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

**· Individual protection measures, such as personal protective equipment**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

**· Eye/face protection**

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

**· Hand protection**

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

**· Material of gloves**

nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

**· Penetration time of glove material**

Value for the permeation: Level = 1 ( &lt; 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Other skin protection (body protection):** Protective work clothing.

**· Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

**· Recommended filter device for short term use:** Combination filter A-P2

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

## SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties**

· <b>Physical state</b>	Fluid
· <b>Form:</b>	Solution
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not applicable.
· <b>Melting point/Freezing point:</b>	Not determined.
· <b>Boiling point or initial boiling point and boiling range</b>	100°C (CAS: 7732-18-5 water)
· <b>Flammability</b>	The product is not combustible.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not applicable.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 4)

Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20°C	6.5
· Kinematic viscosity	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20°C:	1 g/cm <sup>3</sup>
· Relative density:	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable (liquid).
<b>· 9.2 Other information</b>	
<b>· Information with regard to physical hazard classes</b>	
· Corrosive to metals	Void
· Other safety characteristics	
· Oxidising properties:	none
<b>· Additional information</b>	
· Solids content:	< 2.5 %
· Solvent content:	
· Organic solvents:	0 %
· Water:	> 97.5 %

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**  
Violent reactions possible with:  
The generally known reaction partners of water.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** see section 5

### \* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

##### CAS: 9036-19-5 Octylphenol polyethoxyethanol

Oral	LD50	1900–5000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rabbit)

##### CAS: 57-09-0 Cetrimonium bromide

Oral	LD50	410 mg/kg (rat) (RTECS)
------	------	----------------------------

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.

#### · Information on components:

##### CAS: 9036-19-5 Octylphenol polyethoxyethanol

Irritation of skin	OECD 404	(rabbit: irritation) (ECHA: read across CAS 140-66-9)
--------------------	----------	--

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 5)

· <b>Information on components:</b>		
<b>CAS: 9036-19-5 Octylphenol polyethoxyethanol</b>		
Sensitisation	Patch test (human)	(negative)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· <b>Endocrine disrupting properties</b>		
CAS: 9036-19-5	Octylphenol polyethoxyethanol	List I 1-<2.5%

- **Other information**

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

## SECTION 12: Ecological information

- **12.1 Toxicity**

· <b>Aquatic toxicity:</b>	
<b>CAS: 9036-19-5 Octylphenol polyethoxyethanol</b>	
EC50 (static)	0.011 mg/l/48h (Daphnia magna) (ECHA: read across CAS 140-66-9)
EC50	1.9 mg/l/96h (Pseudokirchneriella subcapitata) (ECHA: read across CAS 140-66-9)
NOEC	0.012 mg/l (zebrafish) (OECD 210) (ECHA: read across CAS 140-66-9)
LC50	0.03 mg/l (Daphnia magna) (OECD 202, 21d) (ECHA: read across CAS 140-66-9)
	0.26 mg/l/96h (gold orfe) (OECD 203) (ECHA: read across CAS 140-66-9)
	4–8.9 mg/l/96h (fathead minnow) (Merck)
<b>CAS: 57-09-0 Cetrimonium bromide</b>	
EC50	0.037 mg/l/48h (Daphnia magna) (Registrant, ECHA)
EC10	0.00227 mg/l (Desmodesmus subspicatus) (72) (Registrant, ECHA)
NOEC	0.0011 mg/l/72h (Desmodesmus subspicatus) (Registrant, ECHA)
NOEC	0.023 mg/l (Daphnia magna) (OECD 211, 21d)
EC50 (static)	0.00411 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (Registrant, ECHA)

- **12.2 Persistence and degradability**

<b>CAS: 9036-19-5 Octylphenol polyethoxyethanol</b>	
OECD 301 C	22 % / 28 d (not readily biodegradable) (aerob)
<b>CAS: 57-09-0 Cetrimonium bromide</b>	
OECD 301 E	100 % / 11 d (readily biodegradable) (Modified OECD Screening Test)
OECD 302 B	>95 % / 48 h (readily eliminated from water) (Zahn-Wellens / EMPA Test)

- **12.3 Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient  
log Pow 1-3 = Not worth-mentioning accumulating in organisms.

<b>CAS: 9036-19-5 Octylphenol polyethoxyethanol</b>	
log Pow	2.7 (.) (calculated)

(Contd. on page 7)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 6)

**CAS: 57-09-0 Cetrimonium bromide**

 log Pow 2.26 (.)  
(Merck)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**  
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects** Avoid transfer into the environment.
- **Water hazard:**  
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into soil.

### SECTION 13: Disposal considerations





- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Hand over to disposers of hazardous waste.

**European waste catalogue**

16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                    | UN3082   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Octylphenol polyethoxyethanol, Cetrimonium bromide)<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Octylphenol polyethoxyethanol, Cetrimonium bromide), MARINE POLLUTANT<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Octylphenol polyethoxyethanol, Cetrimonium bromide) |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR</b></li> </ul>  | <div style="display: flex; align-items: center;">   </div>   |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | 9 (M6) Miscellaneous dangerous substances and articles.<br>9   |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   | <div style="display: flex; align-items: center;">   </div>   |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | 9 Miscellaneous dangerous substances and articles.<br>9  |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | III  |

(Contd. on page 8)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 7)

<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> <li>· <b>Special marking (IATA):</b></li> </ul>	<ul style="list-style-type: none"> <li>Symbol (fish and tree)</li> <li>Symbol (fish and tree)</li> <li>Symbol (fish and tree)</li> </ul>
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Kemler Number:</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	<ul style="list-style-type: none"> <li>Warning: Miscellaneous dangerous substances and articles.</li> <li>90</li> <li>F-A,S-F</li> <li>A</li> </ul>
<ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>	<ul style="list-style-type: none"> <li>Not applicable.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	
<ul style="list-style-type: none"> <li>5L</li> <li>Code: E1</li> <li>Maximum net quantity per inner packaging: 30 ml</li> <li>Maximum net quantity per outer packaging: 1000 ml</li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	
<ul style="list-style-type: none"> <li>3</li> <li>(-)</li> </ul>	
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	
<ul style="list-style-type: none"> <li>5L</li> <li>Code: E1</li> <li>Maximum net quantity per inner packaging: 30 ml</li> <li>Maximum net quantity per outer packaging: 1000 ml</li> </ul>	

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Poisons Act UK**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

- **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

- **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

**Product name: Vario Molybdenum 2 Reagent LR**

(Contd. of page 8)

**· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

CAS: 9036-19-5 | Octylphenol polyethoxyethanol

- **Substances of very high concern (SVHC) according to REACH, Article 57** see item 3 SVHC
- **Substances of very high concern (SVHC) according to UK REACH** see item 3 SVHC
- **Directive 2012/18/EU (SEVESO III):**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **Information about limitation of use:** Not required.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Training hints** Provide adequate information, instruction and training for operators.
- **Relevant phrases**
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
- **Abbreviations and acronyms:**
  - OECD: Organisation for Economic Co-operation and Development
  - STOT: specific target organ toxicity
    - SE: single exposure
    - RE: repeated exposure
  - EC50: half maximal effective concentration
  - IC50: half maximal inhibitory concentration
  - NOEL or NOEC: No Observed Effect Level or Concentration
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (UK REACH)
  - PNEC: Predicted No-Effect Concentration (UK REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- **Sources** Data arise from safety data sheets, reference works and literature.
- **\* Data compared to the previous version altered.**